

Handheld with Lithium-Ion Battery PD-IDENT-HF-RWBTA-CN



- Mobile reading and writing of RFID tags
- Handheld with HF antenna
- Windows Embedded CE 6.0 operating system — Simplified Chinese
- Incl. TURCK RFID software TA-HF (EN/ CN) for reading and writing of tags
- Customized software solution on request
- WLAN 802.11a/b/g/n and Bluetooth interface
- Protection class IP65
- Withstands multiple drops on smooth concrete from 1.5 m height
- Incl. PD-IDENT-TA-4400 battery, PD-IDENT-TA-DOCK docking station with power adapter and USB cable, PD-IDENT-TA-STYLUS-HOLDER-KIT

Type	PD-IDENT-HF-RWBTA-CN
ID	100004184
Ambient temperature	-20...+50 °C
Storage temperature	-40...+60 °C
Electrical data	
Data transfer	Inductive coupling
Technology	HF RFID
Operating frequency	13.56 MHz
Radio communication and protocol standards	ISO 15693
Device features	
Memory	Sitara AM37x ARM Cortex-A8, 1 GHz
Display	4-GB flash ROM; 512-MB RAM
Keyboard	3.7, 640 × 480, Touchscreen
Battery capacity	55 Keys
Communication via	4680 mAh
Included software	Bluetooth V2.0+EDR, WLAN 802.11a/b/g/n
Operating system	Turck RFID software, SDK available as free download
Barcode	Windows Embedded CE 6.0
Docking station connection type	Without barcode
Mechanical data	
Dimensions	260x 100x 50mm
Housing material	Plastic, Black
Protection class	
Approvals	IP65
	CE; FCC Id: UZ77528HFA; IC Id: 109AN-7528HFA

Handheld with Lithium-Ion Battery

PD-IDENT-HF-RWBTA-CN

Accessories

Type code	Ident no.		Dimension drawing
PD-IDENT-TA-4400	7030518	Replacement battery 4400 mAh	
PD-IDENT-TA-POUCH	7030548	Carrying case for the TW and TA handhelds without pistol grip	
PD-IDENT-TA-STY-LUS-HOLDER-KIT	7030549	Stylus with holder (only usable without pistol grip)	
PD-IDENT-TA-STYLUS	7030550	replacement pens (5 pcs.)	
PD-IDENT-TA-RS232	7030554	RS232 adapter cable for direct connection of the TA handhelds to a device with RS232-interface (e.g. PLC, PC)	
PD-IDENT-TA-DOCK-ETHERNET	7030595	Ethernet adapter for the docking station	
PD-IDENT-TA-DOCK	7030596	Docking station, incl. power supply unit	
PD-IDENT-TA-POW-ERSUPPLY	7030597	Power supply unit	